

INDOOR LIGHTS

PORTFOLIO



“The story of great space design is always the story of great light design.”

to story of Ardeo

From the House of Keus, comes Ardeo – a range of meticulously researched and designed, technical and architectural lights.

Our objective is to bring a premium and category leading range of architectural lights designed to meet the needs of premium and luxury indian homes.

A range that has been scientifically designed to be limited because it's a range, good enough to meet every lighting requirement of your home.

Every Ardeo light has been designed to surpass the ordinary. From the best colour rendering index (CRI level) that's unmet by any other company, to the best colour and chromatic consistency (lowest SDCM) and from the best real lifetime value (best L-B score) to highest warranty and life rating, we introduce you to ARDEO – the only light range you will ever need.

From the best colour rendering index (CRI level) that's unmet by any other company, to the best colour and chromatic consistency (lowest SDCM) and from the best real lifetime value (best L-B score) to highest warranty and life rating, we introduce you to ARDEO – the only light range you will ever need.


The Ardeo Factor

The Ardeo Factor



Research

A design thinking strategy based on understanding every need of our stakeholders; architects, lighting designers and the home owner. Our products are specifically engineered for India and the modern Indian home.




SDCM

The perfect colour temperature for your perfect home. Our lights have the best in class colour and chromatic consistency. Our flagship range takes SDCM to sub 2 levels, and that is something quite remarkable.



Efficiency

The Ardeo range has been designed and engineered to deliver superb lumens/watt efficiency.



CRI

The CRI dimension actually decides how your home looks – do the colours look rich and true or do they look dull or washed out. Luminaries with high colour rendering index provides your home with the trueness of colour and in that regard we are leap years ahead.

At Ardeo , we transform spaces into the perfect refuge by creating balanced, light-infused spaces. We merge aesthetics with functionality through our layered lighting approach. Our lighting system promotes effortless living through simplicity and efficiency, with a strong focus on people-centric illumination that prioritises harmony, well-being and productivity above all else..


Design Philosophy

Design Philosophy



Space as a Sanctuary

Create a warm and inviting environment



The Perfect Equilibrium

Integrate and balance ambient, task and accent lighting



Functional Aesthetics

Establish path of illumination to allow easy movement




Highlight what matters

Accentuate architectural details and art spaces



Hassle free Living

Lighting system that is easy to maintain



Human Centric Lighting

Lighting system
Designed for optimality

DOWNLIGHTS

Downlights

01	Olyn	40	Tevel
07	Olyn 18	44	Skat
11	Olyn Mini	48	Alcor
15	Ogma	52	Naos
19	Felis	56	Koit
24	Avior	60	Atria
28	Altair 7		
32	Altair 9		
36	Altair Mini		



Olyn

The only light you need

The Flagship luminaire from Ardeo.

From accent lighting to general lighting to ambience creation, there is nothing that olyn cannot do. Which is why we call it the truly universal downlight.



Olyn 15

Crafted for high-performance lighting, the 15W Olyn is ideal for premium passageways and living spaces that demand superior illumination.

Olyn 9

Harnessing the versatility of the Olyn family, the Olyn 9 is ideal for achieving the perfect accentuation across portraits, sculptures and art niches.




Features




Glarefree Lighting

Limits light source exposure



High CRI performance

Performance rating >97



Super flexible

keep it fixed, rotate or tilt




Crafted to perfection

seamless cutout & bezel



Best SDCM rating <2

for the perfect colour temperature



Choice of finishes

cones | reflectors | fixtures



Multiple colour temperature

to create your own atmosphere



Universal form factor

across all wattages




Multiple beam angles

15°/24°/36°

Technical details

	Wattage	Beam Angle	Voltage	Driver	CCT	System Lumen	SDCM	Life	Dimensions	Warranty	Colors Available
Product	W	°	V	mA	K	lm	</>	Hrs.	W x H	Years	
Olyn 9	9W	15°/24° /36°	36V	200mA	3000K/4000K	720lm	<3	40,000	82 X120 mm	3years	
Olyn 15	15W	15°/24° /36°	36V	350mA	3000K/4000K	1050lm	<3	40,000	82 X120 mm	3years	

Installation reference




*All the dimensions in mm.




MODEL NUMBER: ARADO975, ARAD1575

Accessories


Range of accessories & attachments
cones, reflectors and beam angle control fixtures




specular




super black




slot hole



pin hole




honeycomb louvre




elliptical lens

Olyn 9


15°



24°




36°




Olyn 15


15°



24°



36°






Olyn 18

The only light you need

Experience superior illumination in double-height spaces with the Olyn 18W, the high-performance champion of the Olyn range.

Olyn 18

Craft an atmospheric symphony with the Olyn 18, the embodiment of elegance and true illuminating power.




Features



Glarefree Lighting

Limits light source exposure



High performance

Making it suitable for bigger spaces



Super flexible

keep it fixed, rotate or tilt




Crafted to perfection

seamless cutout & bezel



Best SDCM rating <2

for the perfect colour temperature



Choice of finishes

cones | reflectors | fixtures



Multiple colour temperature

to create your own atmosphere



Universal form factor

across all wattages




Multiple beam angles

15°/24°/36°

Technical details

	Wattage	Beam Angle	Voltage	Driver	CCT	CRI	System Lumen	SDCM	Life	Dimensions	Warranty	Colors Available
Product	W	°	V	mA	K	</>	lm	</>	Hrs.	W x H	Years	
Olyn 18	18W	15°/24° /36°	36V	450mA	3000K/4000K	>80	1600 lm	<3	40,000	82 X120 mm	3years	

 Installation reference




*All the dimensions in mm.




MODEL NUMBER: ARAD1875

Luminous intensity


15°



24°



36°





Olyn mini

The only light you need

A beacon of compactness and versatility, the OLYN mini encapsulates diverse lighting needs. From perfect accent lighting to powerful general illumination and enchanting ambience creation, this trailblazer downlight does it all.



Olyn Mini

a compact gem from Ardeo's OLYN family,
weaves the 'less is more' ethos into your living
rooms, bedrooms, and corridors.




Features



Glarefree Lighting

Limits light source exposure



High CRI performance

Performance rating >97



Super flexible

keep it fixed, rotate or tilt




Crafted to perfection

seamless cutout & bezel



Best SDCM rating <2

for the perfect colour temperature




Choice of finishes

cones | reflectors | fixtures



Multiple colour temperature

to create your own atmosphere



Universal form factor

across all wattages




Multiple beam angles

15°/24°/36°

Technical Details

	Wattage	Beam Angle	Voltage	Driver	CCT	System Lumen	SDCM	Life	Dimensions	Warranty	Colors Available
Product	W	°	V	mA	K	lm	</>	Hrs.	W x H	Years	
Olyn Mini	15W	15°/24° /36°	36V	350mA	3000K/4000K	800 lm	<3	40,000	59 X100 mm	3years	

Installation reference




*All the dimensions in mm.




MODEL NUMBER: ARAD1555

Luminous intensity


15°



24°



36°





Ogma


The crown jewel amongst wall washers

The true gold standard amongst wallwashers, ogma uniformly lights and accentuates all wall types and provides a consistently spectacular experience.



Ogma

It integrates cutting-edge technology to cast consistent, uniform lighting across all wall types. Ogma's advanced design accentuates architectural details of all kind of wall textures.




Features



Glare limiting design

limits light exposure and ensures
good cutoff angle




High CRI performance

Performance rating >97



Aesthetic aperture

beautiful and minimally designed



Even & distributed lighting

uniform wall washing experience



Best SDCM rating

for the perfect colour temperature




Built to last

three years warranty

Technical details

	Wattage	Beam Angle	Voltage	Driver	CCT	System Lumen	SDCM	Life	Dimensions	Warranty	Colors Available
Product	W	°	V	mA	K	lm	</>	Hrs.	W x H	Years	
Ogma	9W	60°	36V	200mA	3000K/4000K	500 lm	<3	40,000	82 X66 mm	3years	

 Installation reference




* All the dimensions in mm.



MODEL NUMBER: ARFWO975

Luminous intensity





Felis

Fixed Spotlight

This performance packed downlight from Ardeo has been specifically engineered to answer your routine fixed lighting needs.



Felis


Ideal for luxury bathrooms and utility spaces, Felis provides a homogenised, reliable glow that meets diverse fixed lighting requirements.



Features



Multiple beam angles
15°/24°/36°



High CRI performance
Performance rating >90



Super flexible
keep it fixed, rotate or tilt



Multiple colour temperature
to create your own atmosphere



Best SDCM rating
for the perfect colour temperature




Built to last
three years warranty

Technical details

	Wattage	Beam Angle	Voltage	Driver	CCT	System Lumen	SDCM	Life	Dimensions	Warranty	Colors Available
Product	W	°	V	mA	K	lm	</>	Hrs.	W x H	Years	
Felis 9	9W	15°/24° /36°	36V	200mA	3000K/4000K	720 lm	<3	40,000	84 X86 mm	3years	
Felis 15	15W	15°/24° /36°	36V	350mA	3000K/4000K	1350 lm	<3	40,000	94 X97 mm	3years	

 Installation reference

Felis 9



*All the dimensions in mm.




MODEL NUMBER: ARFDO975

Felis 15



MODEL NUMBER: ARFD1585




*All the dimensions in mm.


Luminous intensity

Felis 9

15°



24°




36°




Felis 15


15°




24°




36°



55°





Avior

The perfect linear blade is here

This beautiful linear blade light has been designed for the truly differentiated and innovative homes.


Avior

Illuminate luxury spaces with impact and elegance. Its discreet design ensures minimal luminaire visibility, creating a captivating lighting experience that enhances the prestige of any environment.

Features



Anti glare design
with excellent cut-off angles



High CRI performance
Performance rating >90



Aesthetic aperture
minimal and linear design



Soft lighting curve
Beautiful pools of light and shadow



Excellent efficiency
best lumen/watt performance




Built to last
three years warranty

Technical details

	Wattage	Beam Angle	Voltage	Driver	CCT	System Lumen	SDCM	Life	Dimensions	Warranty	Colors Available
Product	W	°	V	mA	K	lm	</>	Hrs.	L x W x H	Years	
Avior	10W	15°/30° /45°	15V	550mA	3000K/4000K	815 lm	<5	40,000	147x45x49 mm	3years	

Installation reference




*All the dimensions in mm.




MODEL NUMBER: ARFL1037

Luminous intensity


15°




30°



45°






Altair 7

The exquisitely designed spotlight

This minimally designed avant-garde adjustable spotlight exclusively meant to highlight and accent spaces, is a ceiling fixed luminaire that performs better than it looks.

Altair 7


Accentuate the intricate details of a grand art piece, elevating its visual impact and highlighting its architectural finesse




Features



Antiglare spotlight
through deep COB placement



Experience high CRI
with this CRI90 spotlight




Tilt and rotate
to highlight anything



Multiple colour temperature
to create your own atmosphere



Multiple beam angles
3 beam angles to meet all needs




Ceiling fixed
minimal and easy to install

Technical details

	Wattage	Beam Angle	Voltage	Driver	CCT	System Lumen	SDCM	Life	Dimensions	Warranty	Colors Available
Product	W	°	V	mA	K	lm	</>	Hrs.	W x H	Years	
Altair 7	7W	15°/24° /36°	24V	250mA	3000K/4000K	330 lm	<3	40,000	40X200 mm	3years	

Installation reference




*All the dimensions in mm.




MODEL NUMBER:ARASO735

Luminous intensity


15°




24°



36°





Altair 9

The exquisitely designed spotlight

With a compact form that houses a high-performing, adjustable spotlight, this ceiling-fixed luminaire is the epitome of pioneering design. It's specifically crafted to illuminate and highlight grand portraits or art pieces, with its performance surpassing its design.



Altair 9


showcase statement art with the Altair'9. Reveal those intricate details with exquisite precision and an ethereal visual impact




Features



Antiglare spotlight
through deep COB placement



Experience high CRI
with this CRI90 spotlight




Tilt and rotate
to highlight anything



Multiple colour temperature
to create your own atmosphere



Multiple beam angles
3 beam angles to meet all needs




Ceiling fixed
minimal and easy to install

Technical details

	Wattage	Beam Angle	Voltage	Driver	CCT	System Lumen	SDCM	Life	Dimensions	Warranty	Colors Available
Product	W	°	V	mA	K	lm	</>	Hrs.	W x H	Years	
Altair 9	9W	15°/24° /36°	36V	200mA	3000K/4000K	650 lm	<3	40,000	50 X 120 mm	3years	

Installation reference




*All the dimensions in mm.




MODEL NUMBER: ARASO950

Luminous intensity


15°



24°



36°





Altair mini

The exquisitely designed spotlight

Innovative minimalism of our ultra-compact, Altair Mini 5W, ceiling-fixed spotlight. It delivers targeted performance, perfectly illuminating smaller luxury art pieces, portraits, and niches. Despite its size, its impressive illumination exceeds its sleek aesthetic.



Altair Mini


This quirky luminaire captures Altair's might, illuminating smaller portraits and art pieces with precision. Let its compact size unleash a captivating display of vibrant colors and intricate details.




Features



Antiglare spotlight
through deep COB placement



Experience high CRI
with this CRI90 spotlight




Tilt and rotate
to highlight anything



Multiple colour temperature
to create your own atmosphere



Multiple beam angles
3 beam angles to meet all needs




Ceiling fixed
minimal and easy to install

Technical details

	Wattage	Beam Angle	Voltage	Driver	CCT	System Lumen	SDCM	Life	Dimensions	Warranty	Colors Available
Product	W	°	V	mA	K	lm	</>	Hrs.	W x H	Years	
Altair mini	7W	15°/24° /36° 15°~ 45° Zoomable	36V	160mA	3000K/4000K	330 lm	<3	40,000	70 X 107 mm	3years	

Installation reference




*All the dimensions in mm.




MODEL NUMBER: ARASO735

Luminous intensity


15°




24°



36°






Tevel

The adjustable spot

Ideal value performance light that is an optimal combination of specifications and features for your regular adjustable downlight needs.

Tevel


Concise, focused illumination tailored for various utility spaces and bathrooms of luxury residences that demand meticulous attention. Elevate your lighting with Tevel's precision engineering.



Features



Multiple beam angles
15°/24°/36°




High CRI performance
Performance rating >90



Rotation
160° & Tilt Angle 25°



Multiple colour temperature
to create your own atmosphere



Excellent efficiency
best lumen/watt performance




Built to last
three years warranty

Technical details

	Wattage	Beam Angle	Voltage	Driver	CCT	System Lumen	SDCM	Life	Dimensions	Warranty	Colors Available
Product	W	°	V	mA	K	lm	</>	Hrs.	W x H	Years	
Tevel	7W	15°/24° /36°	36V	150mA	3000K/4000K	490 lm	<3	40,000	82 X93 mm	3years	

Installation reference




*All the dimensions in mm.




MODEL NUMBER: ARADO775

Luminous intensity


15°



24°



36°






Skat

A surface mounted marvel

This is our flagship amongst surface mounted downlights. Skat is a brilliantly designed light fixture that just delivers across all fronts.

Skat

With its sleek design and efficient lighting performance, Skat provides a seamless lighting solution without the need for structural modifications.




Features



Glare control

seamless antiglare experience




High CRI performance

Performance rating >90



Multiple colours

to feel the softest lighting experience



Versatile and flexible

Choice of beam angles and colour temperatures



Lighting curve

softest lighting curve once experienced.




Minimally designed

exquisitely designed fixture and reflector


Technical details



	Wattage	Beam Angle	Voltage	Driver	CCT	System Lumen	SDCM	Life	Dimensions	Warranty	Colors Available
Product	W	°	V	mA	K	lm	</>	Hrs.	W x H	Years	
Skat	10W	15°/30°	36V	150mA	3000K/4000K	600 lm	<3	40,000	82 X93 mm	3years	



Installation reference



*All the dimensions in mm.




MODEL NUMBER: ASFD1000


Luminous intensity




15°



30°





Alcor

Universal spotlight

Address your universal and general lighting needs through this feature packed high quality performance downlight.



Alcor


Designed for spaces steeped in daily elegance, Alcor masterfully accentuates premium areas from plush balconies to ornate corridors and intricate corners.

Features



Glare control

seamless antiglare experience



High CRI performance

Performance rating >97



Excellent efficiency

best lumen/watt performance



Multiple colour temperature

to create your own atmosphere



Best SDCM rating

for the perfect colour temperature




Multiple beam angles

3 beam angles to meet all needs

Technical details

	Wattage	Beam Angle	Voltage	Driver	CCT	System Lumen	SDCM	Life	Dimensions	Warranty	Colors Available
Product	W	°	V	mA	K	lm	</>	Hrs.	W x H	Years	
Alcor	12W	24°/40°	36V	250mA	3000K/4000K	740 lm	<3	40,000	94 X 63.5 mm	3years	

Installation reference




*All the dimensions in mm.




MODEL NUMBER: ARFDO985


Luminous intensity

24°



40°





Naos


accentuate and amplify

a unique tiltable spotlight to highlight, accent
and showcase specific spaces.



Naos


This unique tiltable spotlight delivers precision lighting for specific spaces. Elevate your design with Naos and captivate with focused illumination.



Features




Flexible | Minimal
for accurate spotlighting



High CRI
Visualize details better with accurate CRIs



Multiple colour temperature
to create your own atmosphere



Rotatable
20° rotation for precise highlighting



Versatile Spotlight
multiple Beam angles




Aesthetic and minimal
tiny and unobtrusive design

Technical details

	Wattage	Beam Angle	Voltage	Driver	CCT	System Lumen	SDCM	Life	Dimensions	Warranty	Colors Available
Product	W	°	V	mA	K	lm	</>	Hrs.	W x H	Years	
Naos	3W	10°/15°/24°/36°	36V	670mA	3000K/4000K	100 lm	<7	40,000	47 X 35 mm	3years	

 Installation reference




*All the dimensions in mm.




MODEL NUMBER: ARASO345

Luminous intensity

10°



15°





Koiti

every niche needs its star

this one watt of magic is is a deep recessed luminaire designed to bring life to those niches that matter.



Koit

The one-watt wonder, Koit is made to bring life to important niches. Its precise illumination transforms these spaces into captivating focal points that truly matter.



Features




Deep controlled

fixture design ensures a beautiful lighting experience




One watt of magic

high lumen throughput for a single watt



High CRI performance

Performance rating >97



Flexible and versatile

keep it fixed



Multiple colour temperature

to create your own atmosphere




Multiple beam angles

3 beam angles to meet all needs

Technical details

	Wattage	Beam Angle	Voltage	Driver	CCT	System Lumen	SDCM	Life	Dimensions	Warranty	Colors Available
Product	W	°	V	mA	K	lm	</>	Hrs.	W x H	Years	
Koit	1W	10°/15°	3V	250mA	3000K/4000K	55 lm	<7	40,000	45 X 52 mm	3years	

Installation reference




*All the dimensions in mm.




MODEL NUMBER: ARFSO135


Luminous intensity

10°



15°






Atria

Sleek. High-performing. Expansive.

The general downlight designed for expansive spaces, Atria combines high efficiency and top-tier performance, making it an ideal lighting solution for large areas within any environment.

Atria


This light excels as the ideal lighting solution for large areas in these environments. Illuminate expansive spaces with Atria's brilliance and unmatched performance.



Features




Flexible | Minimal
for accurate spotlighting



High CRI
Visualize details better with accurate CRIs



Multiple colour temperature
to create your own atmosphere



Rotatable
20° rotation for precise highlighting



Versatile Spotlight
multiple Beam angles




Aesthetic and minimal
tiny and unobtrusive design

Technical details

	Wattage	Beam Angle	Voltage	Driver	CCT	System Lumen	SDCM	Life	Dimensions	Warranty	Colors Available
Product	W	°	V	mA	K	lm	</>	Hrs.	W x H	Years	
Atria	15W	100°	36V	350mA	3000K/4000K	1180 lm	<7	40,000	140 X 48.2 mm	3years	

Installation reference



*All the dimensions in mm.



MODEL NUMBER: ARASO345

Luminous intensity

100°





Ardeo®

SCOTLED + SETLIPRO

Profiles Portfolio

65 Profiles Overview

66 Indirect Profiles

70 Direct Profiles

76 Wall Mout Profiles

LED Portfolio

80 LED Overview

83 LED Strip Lights



SERIES for Portfolio

A comprehensive collection of LED lights and profiles, empowering limitless applications with unparalleled versatility and innovation.


SALIENT FEATURES




Pure & Thick Aluminium
6063 grade



Smooth Surface treatment
makes it look sleek and shiny




Anti-scratch
Made of friction enduring alloys



PC End caps
prevents light leakage



Antirust stainless steel clips
makes it look sleek and shiny



High impact PC diffuser
with even light distribution and
no/low uv exposure

INDIRECT profiles

Application



Wardrobes

Accent lighting brings enhanced illumination, organization, ambiance, and design emphasis to wardrobes.

Kitchen Cabinets

In kitchen cabinets, accent lighting improves visibility, streamlines access, shapes ambiance, and underscores design aesthetics.




Curtain Grazer

Accent lighting delicately accentuates curtains, showcasing their beauty and enhancing the overall atmosphere with an enchanting glow.

TV Unit

Accent lighting amplifies the entertainment experience, simplifies usage, sets the mood, and underscores design features in TV units.




Cove Recessed




Dimensions :
Length: 1000 mm
Width: 16 mm
Height: 16 mm

Model Number: CO-10I616




*All the dimensions in mm.

Cove Flexible



*All the dimensions in mm.



Dimensions :
Length: 1000 mm
Width: 13mm
Height: 5mm


Model Number: CO-100513

Grazer



Dimensions :
Length: 1000 mm
Width: 17.1 mm
Height: 20 mm

Model Number: GR-122015




*All the dimensions in mm.

Under Cabinet




Dimensions :
Length: 1000 mm
Width: 08 mm
Height: 18 mm

Model Number: FR-O4O818




*All the dimensions in mm.

Slim Trimless



*All the dimensions in mm.

Dimensions :
Length: 1000 mm
Width: 8 mm
Height: 9 mm




Model Number: FR-O5O9O8T

Slim Recessed



Dimensions :
Length: 1000 mm
Width: 7.8 mm
Height: 12 mm

Model Number: FR-O51213T



*All the dimensions in mm.

DIRECT profiles

Application




Outdoor Sitout

With strip lighting, the outdoor seating or sofas become more inviting, setting a warm, welcoming ambiance for relaxation or social gatherings.

Bar Counter

Customizable colors enhance bar's ambiance, adding a captivating aesthetic dimension that complements the theme and elevates its visual allure.



Ceiling


The use of direct strip lighting can efficiently illuminate large spaces, providing adequate light for various activities without overwhelming the room.

Slim Recessed




Dimensions :
 Length: 1000 mm
 Width: 7.8 mm
 Height: 12 mm

Model Number: FR-O51213T



*All the dimensions in mm.

Slim Trimless



*All the dimensions in mm.



Dimensions :
 Length: 1000 mm
 Width: 8 mm
 Height: 9 mm


Model Number: FR-O5O9O8T

Thin Recessed



Dimensions :
 Length: 1000 mm
 Width: 17.1 mm
 Height: 8 mm

Model Number: FR-12O823T




*All the dimensions in mm.

Thin Trimless




Dimensions :
Length: 1000 mm
Width: 17 mm
Height: 15 mm

Model Number: FR-131617




*All the dimensions in mm.

Wide Recessed



*All the dimensions in mm.



Dimensions :
Length: 1000 mm
Width: 23.5 mm
Height: 13.6 mm


Model Number: FR-181431

Wide Trimless



Dimensions :
Length: 1000 mm
Width: 23.5 mm
Height: 15 mm

Model Number: FR-201623




*All the dimensions in mm.

Ceiling Recessed




Dimensions :
Length: 1000 mm
Width: 50 mm
Height: 35 mm

Model Number: CR-25355OT



*All the dimensions in mm.

Ceiling Trimless




*All the dimensions in mm.

Dimensions :
Length: 1000 mm
Width: 35 mm
Height: 35 mm




Model Number: CR-253535

Black Recessed



Dimensions :
Length: 1000 mm
Width: 17 mm
Height: 8 mm

Model Number: FR-12O823T (BL)




*All the dimensions in mm.

Rafter



Dimensions :
Length: 1000 mm
Width: 35 mm
Height: 35 mm

Model Number: CR-313556T



*All the dimensions in mm.

WALL MOUNT profiles

Application



Ceiling to Wall Rafter

Unified accent lighting blends wall and ceiling, emphasizing architecture, adding depth, and enhancing the space with elegant illumination.

Elevation

Elevate your outdoor elevation by adding these LEDs as a visual element, enhancing the overall ambiance and showcasing architectural details.



Facade

Front facades transform into a remarkable sight, enhancing its curb appeal and making it an inviting and visually striking sight.




Wall Mount




Dimensions :
 Length: 1000 mm
 Width: 48.5 mm
 Height: 17.7 mm

Model Number: WW-121848TD



*All the dimensions in mm.

Slim Trimless



*All the dimensions in mm.



Dimensions :
 Length: 1000 mm
 Width: 8 mm
 Height: 9 mm


Model Number: FR-O5O9O8T

Wide Trimless



Dimensions :
 Length: 1000 mm
 Width: 23.5 mm
 Height: 15 mm

Model Number: FR-201623




*All the dimensions in mm.

Thin Trimless




Dimensions :
Length: 1000 mm
Width: 17 mm
Height: 15 mm



Model Number: FR-131617

*All the dimensions in mm.

Ceiling Trimless



*All the dimensions in mm.



Dimensions :
Length: 1000 mm
Width: 35 mm
Height: 35 mm

Model Number: CR-253535



Portfolio

LED

Perfect range of led strips

ceiling recessed ◦ accent light strips ◦
cct tunable ◦ RGB with color temperature ◦
furniture profile strips

The Ardeo design philosophy has been
the bedrock towards the creation of our
strip lights portfolio




SALIENT FEATURES




Top Performing

Highest Efficacy Lm/W



High CRI Value

CRI Values above 90



Factory Calibrated

Comes with LM80 reports for LEDs



Industry Grade Elements

99.9% Heraeus Gold, Dow Corning Silicon,
Pur copper etc.



Efficient SDCM

1 color bin 1-step/2step SDCM



Density of Leds

are High which results in
seamless & soft illumination

Wall Grazing

Accentuates unique texture
of exterior walls and creates a
captivating visual display.




Niches & Showpieces with Stickable LED Profiles

Effortlessly enhancing artistic displays, elevating
ambiance. Showcase elegance with tailored
illumination, transforming spaces into sophisticated
galleries.

LED Strip Lights


Aurora



Model Number: 1O24WW15119

14.4 W WATTAGE	24V DC VOLTAGE	119 lm LM/WATT±10%
IP 20 IP RATING	<90 CRI	3000K/4000K CCT
<3 SDCM	160 Led/M DENSITY OF LEDS	10 mm WIDTH


Aurora HD



Model Number: O524CTO885

14.4W WATTAGE	24V DC VOLTAGE	129 lm LM/WATT±10%
IP 20 IP RATING	<90 CRI	3000K/4000K CCT
<3 SDCM	240 Led/M DENSITY OF LEDS	10 mm WIDTH

Petra




Model Number: 1O24WW25100

25 W WATTAGE	24V DC VOLTAGE	106 lm LM/WATT±10%
IP 20 IP RATING	<90 CRI	3000K/4000K CCT
<3 SDCM	168 Led/M DENSITY OF LEDS	10 mm WIDTH

LED Strip Lights




Irena



Model Number: O524WWO885

7.5 W WATTAGE	24V DC VOLTAGE	86 lm LM/WATT±10%
IP 20 IP RATING	<90 CRI	3000K/4000K CCT
<3 SDCM	120 Led/M DENSITY OF LEDS	4 mm WIDTH

Lerna



Model Number: 1O24WW14115

14 W WATTAGE	24V DC VOLTAGE	111 lm LM/WATT±10%
IP 54 IP RATING	<90 CRI	3000K/4000K CCT
<3 SDCM	304 Led/M DENSITY OF LEDS	10 mm WIDTH

Capella




Model Number: 1O24WW2O8O

20 W WATTAGE	24V DC VOLTAGE	80 lm LM/WATT±10%
IP 20 IP RATING	<90 CRI	2700K-6500K CCT TUNABLE
<3 SDCM	196 Led/M DENSITY OF LEDS	10 mm WIDTH

LED Strip Lights



Electra



Model Number: 1524RT2249

21.6 W
WATTAGE

24V DC
VOLTAGE

50 lm
LM/WATT±10%


IP 20
IP RATING

15 mm
WIDTH

180 Led/M
DENSITY OF LEDS

RGBA 2700K- 6500K
CCT

Musica



Model Number: 1012RAO628

6 W
WATTAGE

12V DC
VOLTAGE

29 lm
LM/WATT±10%


IP 20
IP RATING

30 Led/M
DENSITY OF LEDS

RGB Addressable
CCT

10 mm
WIDTH

Lyra



Model Number: 2324RW1823 - N/30

18 W
WATTAGE

24V DC
VOLTAGE

50 lm
LM/WATT±10%

IP 67
IP RATING

<80
CRI

3000K
CCT


144 Led/M
DENSITY OF LEDS

23 mm
WIDTH

LED Strip Lights




Lyra Grazer



Model Number: 2324RW1823 - N/G

18 W WATTAGE	24V DC VOLTAGE	73 lm LM/WATT±10%
IP 67 IP RATING	<90 CRI	3000K CCT
<3 SDCM	36 Led/M DENSITY OF LEDS	23 mm WIDTH


Lyra RGB



Model Number: 2324RW1823 - N/ RGB

18 W WATTAGE	24V DC VOLTAGE	24 lm LM/WATT±10%
IP 67 IP RATING	<80 CRI	RGB CCT
72 Led/M DENSITY OF LEDS	23 mm WIDTH	

Carina




Model Number: 1O24WW1O99- WP

10 W WATTAGE	24V DC VOLTAGE	100 lm LM/WATT±10%
IP 68 IP RATING	<80 CRI	3000K CCT
<3 SDCM	120 Led/M DENSITY OF LEDS	10 mm WIDTH

LED Strip Lights



Carina RGB



Model Number: IO24WW1O99- WP-RGB

10 W
WATTAGE

24V DC
VOLTAGE

50 lm
LM/WATT±10%

IP 68
IP RATING

60 Led/M
DENSITY OF LEDS

RGB
CCT

10 mm
WIDTH

TRACKLIGHTS

Track Lights Portfolio

89	Track Lights Overview
91	Mirach
95	Almach
99	Kappa
103	Adhil
111	Track Lights Accessories



Ardeo's 48V track lighting system redefines luxury living with its premium illumination capabilities. Designed for seamless installation and customizable fixtures, it offers unmatched flexibility to create the perfect lighting atmosphere. Experience the elegance and sophistication of Ardeo's 48V track system, transforming your space into a haven of refined beauty.

TRACK LIGHTS

Portfolio

SALIENT FEATURES



High CRI

(RA $\geq$ 90) to provides excellent Colour revealing performance.



Made of high density

die-cast aluminum.



Compact and Aesthetic

design with excellent glare control.



Adjustable Beam angle

Zoomable, accentuating varied sizes of objects



Wide Range

of Dimming 0-100% Dali dimming by an individual dimming switch




In-Built

Power Supply for seamless aesthetic



Reliable connectors

for Longivity



Wide Range

of compatible luminaires



Easy Click Lock

Mechanism for install & Uninstall



Mirach

Mirach is a lighting marvel made to illuminate hallways, living spaces, and elegant entryways according to your preferences. Its sleek design effortlessly blends and adapts to Ardeo's 48V track system, creating a warm and inviting glow.

Mirach


Mirach offers flexible illumination that effortlessly adapts to the elegance of premium spaces, while providing a dynamic lighting solution.

Technical details

	Wattage	Beam Angle	Voltage	Driver	CCT	CRI	System Lumen	SDCM	Life	Dimensions	Warranty
Product	W	°	V	mA	K	</>	lm	</>	Hrs.	L x W x H	Years
Mirach 6	6W	30°	48V	130mA	3000K/4000K	<90	540 lm	<3	40,000	118 X 21.5 X 47	3years
Mirach 12	12W	30°	48V	250mA	3000K/4000K	<90	1050 lm	<3	40,000	222 X 21.5 X 47	3years

Installation reference

Mirach 6




*All the dimensions in mm.




MODEL NUMBER:ATFSO711

Mirach 12



MODEL NUMBER:ATFS1523




*All the dimensions in mm.

Luminous intensity


Mirach 6

30°



Mirach 12

30°





Almach

This is a versatile and elegant lighting solution that brings precision and sophistication to intricate textures. With adjustable design and customizable throw, it creates captivating environments that exude luxury, truly bringing each detail to life.

Almach


Delicately illuminating and enhancing the ornate textures of premium walls with sophisticated highlights. Almach's adjustable design ensures every subtle detail is beautifully illuminated.

Technical details

	Wattage	Beam Angle	Voltage	Driver	CCT	CRI	System Lumen	SDCM	Life	Dimensions	Warranty
Product	W	°	V	mA	K	</>	lm	</>	Hrs.	L x W x H	Years
Almach 6	6W	30°	48V	130mA	3000K/4000K	<90	540 lm	<3	40,000	131 X 21.5 X 99	3years
Almach 12	12W	30°	48V	250mA	3000K/4000K	<90	1050 lm	<3	40,000	219 X 21.5 X 99	3years

Installation reference

Almach 6



*All the dimensions in mm.




MODEL NUMBER:ATASO711


Almach 12



MODEL NUMBER:ATAS1523




*All the dimensions in mm.




Almach 6


30°



Almach 12

30°





Kappa

Kappa brings versatility to premium spaces with its even and diffused illumination. Designed for the track system, it enhances the ambiance of luxurious environments by seamlessly distributing light, creating a balanced lighting experience.



Kappa


An adaptable luminaire, ensures even lighting across wide passageways, lobbies, and general work areas in premium spaces. With its versatility and flexibility, Kappa creates a balanced illumination experience.

Technical details


	Wattage	Beam Angle	Voltage	Driver	CCT	CRI	System Lumen	SDCM	Life	Dimensions	Warranty
Product	W	°	V	mA	K	</>	lm	</>	Hrs.	L x W x H	Years
Kappa 9	9W	110°	48V	190mA	3000K/4000K	<90	750 lm	<3	40,000	300 X 21.5 X 47	3years
Kappa 20	20W	110°	48V	420mA	3000K/4000K	<90	1300 lm	<3	40,000	600 X 21.2 X 47	3years

Installation reference

Kappa 9




*All the dimensions in mm.




MODEL NUMBER:ATFL1030

Kappa 20



MODEL NUMBER:ATFL2060



*All the dimensions in mm.

Luminous intensity

Kappa 9

110°



Kappa 20

110°






Adhil

An exquisite luminaire, effortlessly enhances luxury homes with its versatile and captivating illumination. Adding sophistication and charm to niche sculptures and premium areas, Adhil elevates curated spaces to new levels of beauty.




Adhil

With its captivating radiance, Adhil gracefully highlights niche sculptures and premium spaces, infusing luxury homes with a mesmerizing touch of sophistication.




Technical details

	Wattage	Beam Angle	Voltage	Driver	CCT	CRI	System Lumen	SDCM	Life	Dimensions	Warranty
Product	W	°	V	mA	K	</>	lm	</>	Hrs.	D x H	Years
Adhil 5	5W	15°/24°/36°	48V	110mA	3000K/4000K	<90	460 lm	<3	40,000	φ36 X 75	3years
Adhil 7	7W	15°/24°/36°	48V	150mA	3000K/4000K	<90	480 lm	<3	40,000	φ40 X 75	3years
Adhil	12W	15°/24°/36°	48V	250mA	3000K/4000K	<90	760 lm	<3	40,000	φ45 X 115	3years



Installation reference

Adhil 5



*All the dimensions in mm.




MODEL NUMBER:ATASO535

Adhil 7




*All the dimensions in mm.




MODEL NUMBER:ATASO775

Installation reference



Adhil




*All the dimensions in mm.




MODEL NUMBER: ATAS125O

Luminous intensity




Adhil 5


15°



24°




36°




Adhil 7


15°



24°




36°




Adhil


15°



24°



36°





Adhil

Zoom


With zoom functionality, Adhil precisely highlights niche sculptures and premium areas. Its refined craftsmanship and captivating illumination bring sophistication and charm to your curated spaces.




Adhil zoom

With its exceptional design and captivating lighting, Adhil Zoom adds an elegant touch to curated spaces, exuding sophistication and charm.

Technical details




	Wattage	Beam Angle	Voltage	Driver	CCT	CRI	System Lumen	SDCM	Life	Dimensions	Warranty
Product	W	°	V	mA	K	</>	lm	</>	Hrs.	D x H	Years
Spot zoom	9W	15° - 45° Zoomable	48V	250mA	3000K/4000K	<90	580 lm	<3	40,000	φ60 X 125	3years



Installation reference

Spot zoom




*All the dimensions in mm.




MODEL NUMBER:ATAZO960


Luminous intensity



15°



45°



TRACK LIGHTS ACCESSORIES



Power Connector

Power supply

Voltage: DC 48v
Wattage: 200w



Model Number: KCVDTPS-200W-48V

L connector




In-track Power connector
for Corner Use

Model Number: ATACL

Recessed

Straight Line In-track



Model Number: ATAC

Surface



Straight Line In-track

Model Number: ATASC

Recessed L Type

Recessed mount

Horizontal connector



Model Number: ARTALH


Vertical connector



Model Number: ARTALV


Surface Mount

Horizontal connector



Model Number: ASTALH

Vertical connector



Model Number: ASTALV

Dali Connector

Type 1



Model Number: ATA500

Type 2



Model Number: ATA2000


Track Rail

Recessed



Model Number: ART0500, ART1000, ART1500, ART2000

Surface



Model Number: AST0500, AST1000, AST1500, AST2000



CONTACT

marketing@keus.in

call at +91 93929 05179

Keus Automation Pvt Ltd

3rd Floor, Central Square Building, Road no 14
Banjara Hills, Hyderabad - 500034
Telangana, India.