


OUTDOOR LIGHTS

PORTFOLIO



The secret to great outdoor design lies in exceptional lighting

Experience the unique blend of craftsmanship and technology with Ardeo, an exclusive range of outdoor architectural lights from the House of Keus.

Our limited collection, tailored for luxury Indian homes, delivers on every front, offering unmatched CRI levels and superior chromatic consistency (lowest SDCM).

With an impressive real lifetime value (leading L-B score) and the industry's highest warranty, Ardeo lights stand for durability and grace, enhancing your outdoors with unparalleled brilliance.

Story of Ardeo

At Ardeo , we transform spaces into the perfect refuge by creating balanced, light-infused spaces. We merge aesthetics with functionality through our layered lighting approach. Our lighting system promotes effortless living through simplicity and efficiency, with a strong focus on people-centric illumination that prioritises harmony, well-being and productivity above all else..


Design Philosophy

Design Philosophy



Space as a Sanctuary

Create a warm and inviting environment



The Perfect Equilibrium

Integrate and balance ambient, task and accent lighting



Functional Aesthetics

Establish path of illumination to allow easy movement



Highlight what matters

Accentuate architectural details and art spaces



Hassle free Living

Lighting system that is easy to maintain



Human Centric Lighting

Lighting system
Designed for optimality


Landscape Spot Lights

- 01 Overview
- 02 Anka
- 05 Zibal
- 09 Sabik 9
- 12 Polis
- 15 Accessories



LANDSCAPE Spotlights

Ardeo's Outdoor spotlight range, where innovation meets functionality. Luminaires with precise lighting and elegant design, & other remarkable options, our collection ensures stunning outdoor lighting solutions for every space.



SALIENT FEATURES




High Luminous Efficacy
Exceptional brightness and clarity




Durable Construction
Robust and long-lasting design



Impact Resistance
Withstands rigorous outdoor conditions



Superior Lighting Performance
Unparalleled illumination, precise color consistency



High Humidity Suitability
Perfect for humid environments, reliable

Anka

Illuminate, Enrich, Empower

Ardeo's premier luminaire, Anka, stands as the pinnacle of agility. Featuring variable focusing beam angles, an exquisite design exuding industrial flair, and unmatched precision.





Anka


Boasting variable focusing beam angles, Anka's exquisite design emanating industrial flair, and unparalleled precision in illuminating plants and trees.

Technical details

	Wattage	Beam Angle	Voltage	CCT	CRI	System Lumen	IK	IP Rating	Life	Dimensions	Warranty	Colors Available
Product	W	°	V	K	</>	lm	IK	IP	Hrs.	D x H	Years	
Anka	10W	15°- 60° Zoomable	100-220V	3000K	>80	480 lm	09	66	40,000	φ56 X 115mm	3years	☒

Installation reference

Anka



*All the dimensions in mm.



MODEL NUMBER: AOLZ1054

Zibal

Elegance Redefined, Brilliance Illuminated

Elegance meets performance in Zibal. With a graceful design, strengthened tempered glass, durable aluminum housing, and energy-efficient LED technology, it brings brilliance to outdoor spaces.



Zibal


Elegant precision illuminates landscape elements. Versatile design highlights scrubs, bushes, plants, trees, and columns in outdoor spaces.

Technical details

	Wattage	Beam Angle	Voltage	CCT	CRI	System Lumen	IK	IP Rating	Life	Dimensions	Warranty	Colors Available
Product	W	°	V	K	</>	lm	IK	IP	Hrs.	D x H	Years	
Zibal 3	3W	5°/8°/25°/40°/60°	100-220V	3000K	>80	140 lm	O4	65	40,000	φ45X 90mm	3years	
Zibal 5.5	5.5W	15°/30°/45°/60°	100-220V	3000K	>80	480 lm	O4	65	40,000	φ45 X 90mm	3years	
Zibal 12	12W	15°/30°/45°/60°	100-220V	3000K	>80	720 lm	O4	65	40,000	φ65 X 115mm	3years	
Zibal 16	16W	15°/30°/45°/60°	100-220V	3000K	>80	960 lm	O4	65	40,000	φ75 X 135mm	3years	

 Installation reference

Zibal 3



*All the dimensions in mm.




MODEL NUMBER: AOLSO242

Zibal 5.5



MODEL NUMBER: AOLSO663




*All the dimensions in mm.

Installation reference



Zibal 12



*All the dimensions in mm.




MODEL NUMBER: AOLS127O

Zibal 16



MODEL NUMBER: AOLS128O



*All the dimensions in mm.

Sabik 9

Captivating Urban Elegance

A masterful creation of elegance, expressing the essence of industrial finesse. Exquisitely designed with meticulous care, this luminaire embraces a resilient aluminum housing, elevated thermal design, and the captivating glow.





Sabik 9


Sabik gently illuminates plants, trees, and columns, gracefully enhanced by top brand CREE LED technology, offering admirable lumen output and delightful color consistency.

Technical details

	Wattage	Beam Angle	Voltage	CCT	CRI	System Lumen	IK	IP Rating	Life	Dimensions	Warranty	Colors Available
Product	W	°	V	K	</>	lm	IK	IP	Hrs.	D x H	Years	
Sabik 9	9W	6°/12°/25° /40°/60°	100 - 220V	3000K	>80	720 lm	09	66	40,000	φ60 X 100mm	3years	

Installation reference

Sabik 9



*All the dimensions in mm.



MODEL NUMBER: AOLSO960

Polis

Striking, Efficient, Precise

An extraordinary luminaire blending technical excellence and versatile use. Ultra-durable, top-tier components, and sophisticated design for illuminating outdoor elements with precision.





Polis


The versatile design artfully highlights lush foliage, majestic trees, architectural columns, and captivating facade elevations, elevating outdoor spaces to new heights of beauty.

Technical details

	Wattage	Beam Angle	Voltage	CCT	CRI	System Lumen	IK	IP Rating	Life	Dimensions	Warranty	Colors Available
Product	W	°	V	K	</>	lm	IK	IP	Hrs.	D x H	Years	
Polis 15	15W	18°/24°/38°/60°	100 - 220V	3000K	>80	1200 lm	O9	66	40,000	φ72 X 128mm	3years	☒
Polis 25	25W	18°/24°/38°/60°	100 - 220V	3000K	>80	2000 lm	O9	66	40,000	φ72 X 128mm	3years	☒

Installation reference

Polis 15



*All the dimensions in mm.




MODEL NUMBER: AOSL158O

Polis 25



MODEL NUMBER: AOLS251O



*All the dimensions in mm.


OUTDOOR LIGHTS

ACCESORIES




Accessories

Honey Comb Type 1



Model Number: AOLSO242, AOGLL255, AOWLO238

Honey Comb Type 2



Model Number: AOLSL1054, AOLSO96O, AOLS128O, AOSL158O, AOGLO395, AUWLO368

Honey Comb Type 3



Model Number: AOLS251O, AOWS1212, AUWL1213

Hood Type 1



Model Number: AOLSO96O

Hood Type 2



Model Number: AOLS128O, AOSL158O

Hood Type 3



Model Number: AOLS251O

Accessories

Tree Band Type 1



Model Number: AOLSO242

Tree Band Type 2



Model Number: AOLZ1O54, AOLSO96O, AOLS128O, AOSL158O

Tree Band Type 3



Model Number: AOLS251O

Inground Lights

18 Overview

19 Izer

22 Segin

26 Caph

28 Anser

30 Timir




Outdoor Ingrd Lights

Captivating elegance, durable design,
enchanted illumination for outdoor spaces.
Elevate your homes with brilliance of Ardeo's
inground lights.




SALIENT FEATURES



2mm Tempered Glass

Ultra-clear and strengthened
protection




High Grade Design

Stable, low failure rate



Stainless Steel Front Cover

Elegant and corrosion-resistant




Die-Casting Aluminum Housing

Durable, weather-resistant,
high-temperature paint



ABS Mounting Sleeve

Sturdy and reliable support



Top Brand LED

High lumen output,
exceptional color consistency

Izer

Contemporary Space Enhancer

An innovative luminaire with adjustable beam direction and excellent heat dissipation. The elegant stainless steel front ring and durable aluminum housing encase high luminous efficacy glass.



Izer


Agile Beam Luminaire. Versatile, adjustable design enhances outdoor spaces with dynamic radiance and elegance.

Technical details

	Wattage	Beam Angle	Voltage	CCT	CRI	System Lumen	IK	IP Rating	Life	Dimensions	Warranty	Colors Available
Product	W	°	V	K	</>	lm	IK	IP	Hrs.	D x H	Years	
Izer	3W	8°/15°/30°/40°/60°	100-220V	3000K	>80	240 lm	05	67	40,000	φ95 X 116mm	3years	

Installation reference

Izer



*All the dimensions in mm.



MODEL NUMBER: AOGLO395

Segin

Elegant Exterior Illumination

A robust and industrial-grade luminaire designed to grace driveways with elegance. Segins compact and artistic design radiates elegance and sophistication.



Segin


Rated IK10, IP67 for added resilience, Segin as a luminaire is designed to grace driveways with elegance.

Technical details


	Wattage	Beam Angle	Voltage	CCT	CRI	System Lumen	IK	IP Rating	Life	Dimensions	Warranty	Colors Available
Product	W	°	V	K	</>	lm	IK	IP	Hrs.	D x H	Years	
Segin	2W	30°	100 - 220V	3000K	>80	160 lm	10	67	40,000	φ55 X 86 mm	3years	

 Installation reference

Segin



*All the dimensions in mm.



*All the dimensions in mm.



MODEL NUMBER: AOGLO255

Segin Variants

1 Way



Model Number: AOGLO255

2 Way



Model Number: AOGLO255

4 Way




Model Number: AOGLO255

Caph

Graceful Path Lighting

Caph ensures reliability even in challenging conditions. Installation is effortless with the Mounting Sleeve. Embrace the allure of energy-efficient light.



Technical details

	Wattage	Beam Angle	Voltage	CCT	CRI	System Lumen	IK	IP Rating	Life	Dimensions	Warranty	Colors Available
Product	W	°	V	K	</>	lm	IK	IP	Hrs.	D x H	Years	
Caph	2W	10°/25°/35°/40°	100-220V	3000K	>80	160 lm	08	67	40,000	φ55 X 82 mm	3years	

 Installation reference

Caph Round



*All the dimensions in mm.




MODEL NUMBER: AOGLL255

Caph Square



*All the dimensions in mm.



MODEL NUMBER: AOGLL255

Anser

Compact Lighting Brilliance

Embrace the finesse of Anser, an enchanting luminaire thoughtfully designed for low depth spaces. Its ultra-thin profile effortlessly captures attention.




Technical details

	Wattage	Beam Angle	Voltage	CCT	CRI	System Lumen	IK	IP Rating	Life	Dimensions	Warranty	Colors Available
Product	W	°	V	K	</>	lm	IK	IP	Hrs.	D x H	Years	
Anser	6W	120°	100 - 220V	3000K	>80	480 lm	O8	67	40,000	φ173 X 38mm	3years	

 Installation reference

Anser



*All the dimensions in mm.



MODEL NUMBER: AOGLO611

Timir

Elevate Your Stairs

A uniquely versatile light by Ardeo, ideal for both outdoor and indoor stairways. The innovative oval beam technology ensures proper illumination and adds a touch of elegance to your stairs.




Technical details

	Wattage	Beam Angle	Voltage	CCT	CRI	System Lumen	IK	IP Rating	Life	Dimensions	Warranty	Colors Available
Product	W	°	V	K	</>	lm	IK	IP	Hrs.	D x H	Years	
Timir	2W	80°	100 - 220V	3000K	>80	240 lm	O4	65	40,000	φ79 X 53mm	3years	

Installation reference

Timir Round




*All the dimensions in mm.




MODEL NUMBER: AOSLO278

Timir Square



*All the dimensions in mm.



MODEL NUMBER: AOSLO278

Submersible Spot Lights


32 Overview

34 Marsic, Mizar

Submersible Recessed Lights


36 Overview

38 Moravo, Rigel RGB, Sarin



Underwater Lights

Versatile Brilliance Below the Surface.
Designed for various use cases, these lights thrive underwater, illuminating pools, fountains, and water features with captivating radiance.



SALIENT FEATURES



Ultra Clear Glass

High luminous efficacy,
impact resistance



Corrosion-Resistant Design

316L titanium-coated
stainless steel



IP68 Waterproof

Full-time remarkable underwater
performance



Aquatic Artshow

Accentuate the distinctive elements of your outdoor spaces, from sculptures and textured walls to porous rocks, transforming your water bodies into mesmerizing displays.


Marsic




Mizar



Technical details




	Wattage	Beam Angle	Voltage	CCT	CRI	System Lumen	IK	IP Rating	Life	Dimensions	Warranty	Colors Available
Product	W	°	V	K	</>	lm	IK	IP	Hrs.	D x H	Years	
Marsic	2W	15°/30°/40°/60°	100-220V	3000K	>80	140 lm	O8	68	40,000	φ61 X 92mm	3years	●
Mizar	12W	15°/30°/40°/60°	100-220V	3000K	>80	660 lm	O5	68	40,000	φ125 X 122mm	3years	●



Installation reference

Marsic



*All the dimensions in mm.




MODEL NUMBER: AOWSO261

Mizar



*All the dimensions in mm.




MODEL NUMBER: AUWL1213



RECESSED SUBMERSIBLE LIGHTS

Recessed Submersible Lights, perfect for various underwater illumination and accentuation needs. Create mesmerizing aquatic displays and add enchanting brilliance to your water features.



SALIENT FEATURES



Clarity and Efficiency

Ultra clear 8mm tempered glass,
high luminous efficacy



Resilient Design

316L titanium-coated stainless steel,
SS housing passivation



Unwavering Waterproofing

Full-time IP68 underwater working,
remarkable waterproof performance


Aquatic Emphasis

Highlight your water body's architecture with Ardeo's seamlessly integrated, recessed submersible lights for a captivating illumination.


Sarin



Rigel RGB




Morava



Technical details



	Wattage	Beam Angle	Voltage	CCT	CRI	System Lumen	IK	IP Rating	Life	Dimensions	Warranty	Colors Available
Product	W	°	V	K	</>	lm	IK	IP	Hrs.	D x H	Years	
Morava	1.5W	15°/35°/40°/60°	100-220V	3000K	>80	160 lm	O5	68	40,000	φ38 X 65mm	3years	●
Rigel RGB	3W	15°/30°/40°/60°	100-220V	RGB	>80	160 lm	O5	68	40,000	φ69 X 75mm	3years	●
Sarin	12W	15°/30°/45°/60°	100-220V	RGB	>80	160 lm	O8	68	40,000	φ135 X 58mm	3years	●



Installation reference

Morava



*All the dimensions in mm.



MODEL NUMBER: AOWLO238

Rigel RGB




MODEL NUMBER: AUWLO368

*All the dimensions in mm.

Installation reference



Sarin



*All the dimensions in mm.



MODEL NUMBER: AUWL1213

LED Strip Lights

41 Overview

44 Lyra

45 Carina



Ardeo LED strips


Perfect range of led strips

Tailored for Modern Outdoor Demands,
Delivering Versatility and Uncompromising
Performance. Illuminating outdoor tasks
with unmatched efficiency and elegance.


SALIENT FEATURES




Top Performing
Highest Efficacy Lm/W



High CRI Value
CRI Values above 90



Factory Calibrated
Comes with LM80 reports for LEDs



Industry Grade Elements
99.9% Heraeus Gold, Dow Corning Silicon,
Pur copper etc.



Efficient SDCM
1 color bin 1-step/2step SDCM



Density of Leds
are High which results in
seamless & soft illumination

Wall Grazing

Accentuates unique texture of exterior walls and creates a captivating visual display.




Aquatic Excellence

Experience water bodies transformed by Ardeo's soothing, indirect submersible LED lighting

LED Strip Lights


Lyra Grazer



Model Number: 2324RW1823 - N/G

18 W WATTAGE	24V DC VOLTAGE	73 lm LM/WATT±10%
IP 67 IP RATING	<90 CRI	3000K CCT
<3 SDCM	36 Led/M DENSITY OF LEDS	23 mm WIDTH

Lyra RGB



Model Number: 2324RW1823 - N/ RGB

18 W WATTAGE	24V DC VOLTAGE	24 lm LM/WATT±10%
IP 67 IP RATING	<80 CRI	RGB CCT
72 Led/M DENSITY OF LEDS	23 mm WIDTH	

Lyra




Model Number: 2324RW1823 - N/30

18 W WATTAGE	24V DC VOLTAGE	50 lm LM/WATT±10%
IP 67 IP RATING	<80 CRI	3000K CCT
144 Led/M DENSITY OF LEDS	23 mm WIDTH	

LED Strip Lights

Carina




Model Number: 1O24WW1O99- WP

10 W WATTAGE	24V DC VOLTAGE	100 lm LM/WATT±10%
IP 68 IP RATING	<80 CRI	3000K CCT
<3 SDCM	120 Led/M DENSITY OF LEDS	10 mm WIDTH

Carina RGB

10 W WATTAGE	24V DC VOLTAGE	50 lm LM/WATT±10%
IP 68 IP RATING	60 Led/M DENSITY OF LEDS	RGB CCT
10 mm WIDTH		



Model Number: 1O24WW1O99- WP-RGB



CONTACT

marketing@keus.in

call at +91 93929 05179

Keus Automation Pvt Ltd

3rd Floor, Central Square Building, Road no 14
Banjara Hills, Hyderabad - 500034
Telangana, India.