

"The story of great space design is always the story



of great light design."

From the House of Keus, comes Ardeo - a range of meticulously researched and designed, technical and architectural lights.

Our objective is to bring a premium and category leading range of architectural lights designed to meet the needs of premium and luxury indian homes.

A range that has been scientifically designed to be limited because it's a range, good enough to meet every lighting requirement of your home.

Every Ardeo light has been designed to surpass the ordinary. From the best colour rendering index (CRI level) that's unmet by any other company, to the best colour and chromatic consistency (lowest SDCM) and from the best real lifetime value (best L-B score) to highest warranty and life rating, we introduce you to ARDEO – the only light range you will ever need.



From the best colour rendering index (CRI level) that's unmet by any other company, to the best colour and chromatic consistency (lowest SDCM) and from the best real lifetime value (best L-B score) to highest warranty and life rating, we introduce you to ARDEO – the only light range you will ever need.

The Ardeo Foctor

- Xrdeo®

100

The Ardeo Factor



Research

A design thinking strategy based on understanding every need of our stakeholders; architects, lighting designers and the home owner. Our products are specifically engineered for India and the modern Indian home.



SDCM

The perfect colour temperature for your perfect home. Our lights have the best in class colour and chromatic consistency. Our flagship range takes SDCM to sub 2 levels, and that is something quite remarkable.



Efficiency

The Ardeo range has been designed and engineered to deliver superb lumens/watt efficiency.

CRI



The CRI dimension actually decides how your home looks – do the colours look rich and true or do they look dull or washed out. Luminaries with high colour rendering index provides your home with the trueness of colour and in that regard we are leap years ahead.

Φ



At Ardeo , we transform spaces into the perfect refuge by creating balanced, light-infused spaces. We merge aesthetics with functionality through our layered lighting approach. Our lighting system promotes effortless living through simplicity and efficiency, with a strong focus on

people-centric illumination that prioritises harmony, well-being and productivity above all else..

Design Philosophy



Design Philosophy



Space as a Sanctuary

Create a warm and inviting environment



The Perfect Equilibrium

Integrate and balance ambient, task and accent lighting







Functional Aesthetics

Establish path of illumination to allow easy movement



Highlight what matters

Accentuate architectural details and art spaces



Hassle free Living

Lighting system that is easy to maintain

Human Centric Lighting

Lighting system Designed for optimality







Profiles Portfolio

- O Profiles Overview
- O2 Indirect Profiles
- O6 Direct Profiles
- Wall Mount Profiles

LED Portfolio

16 LED Overview

19LED Strip Lights

arde






SALIENT FEATURES




Pure & Thick Aluminium 6063 grade



Smooth Surface treatment makes it look sleek and shiny




Anti-scratch Made of friction enduring alloys



PC End caps prevents light leakage



Antirust stainless steel clips makes it look sleek and shiny



High impact PC diffuser with even light distribution and

no/low uv exposure



arde







Application



Wardrobes

Accent lighting brings enhanced illumination, organization, ambiance, and design emphasis to wardrobes.

Kitchen Cabinets

In kitchen cabinets, accent lighting improves visibility, streamlines access, shapes ambiance, and underscores



design aesthetics.





Curtain Grazer

Accent lighting delicately accentuates curtains, showcasing their beauty and enhancing the overall atmosphere with an enchanting glow.

TV Unit

Accent lighting amplifies the entertainment experience, simplifies usage, sets the mood, and underscores design features in TV units.










Cove Recessed




Length: 1000 mm Width: 16 mm Height: 16 mm

Model Number: CO-101616



Cove Flexible




Dimensions: Length: 1000 mm Width: 13mm Height: 5mm

Model Number: CO-100513

Grazer

Dimensions : Length: 1000 mm Width: 17.1 mm Height: 20 mm



olights.com \oplus

ard



Model Number: GR-122015

04






Under Cabinet

Dimensions:


Length: 1000 mm Width: 08 mm Height: 18 mm

Model Number: FR-040818



Slim Trimless

Dimensions :




*All the dimensions in mm.

Length: 1000 mm Width: 8 mm Height: 9 mm

Model Number: FR-050908T

Slim Recessed

Dimensions : Length: 1000 mm Width: 7.8 mm Height: 12 mm



ard




Model Number: FR-051213T





olights.com





Application


Outdoor Sitout

With strip lighting, the outdoor seating or sofas become more inviting, setting a warm, welcoming ambiance for relaxation or social gatherings.

Bar Counter

Customizable colors enhance bar's ambiance, adding a captivating aesthetic dimension that complements the theme and elevates its visual allure.





Ceiling

The use of direct strip lighting can efficiently illuminate large spaces, providing adequate light for various activities without overwhelming the room.








Slim Recessed




Model Number: FR-O51213T



*All the dimensions in mm

Slim Trimless

Dimensions :



Length: 1000mm Width: 8mm Height: 9mm


Model Number: FR-050908T

*All the dimensions in mm

Thin Recessed

Dimensions :

Length: 1000mm Width: 17.1mm Height: 8mm



ard



Model Number: FR-120823T

8 0






Thin Trimless

Dimensions : Length: 1000 mm Width: 17 mm Height: 15 mm

- D - Card


Model Number: FR-131617



*All the dimensions in mm.

Wide Recessed

Dimonsions



Length: 1000 mm Width: 23.5 mm Height: 13.6 mm


Model Number: FR-181431

*All the dimensions in mm

Wide Trimless

Dimensions :


Length: 1000 mm Width: 23.5 mm Height: 15 mm



eolights.com

гd

Q



Model Number: FR-201623








Ceiling Recessed

Dimensions : Length: 1000 mm Width: 50 mm Height: 35 mm

Height: 35 mm


Model Number: CR-25355OT



*All the dimensions in mm

Ceiling Trimless

Dimensions :




Length: 1000 mm Width: 35 mm Height: 35 mm

*All the dimensions in mm.


Model Number: CR-253535

Black Recessed

Dimensions : Length: 1000 mm Width: 17 mm Height: 8 mm



ard



Model Number: FR-120823T (BL)

10







Model Number: CR-313556T











Application



Ceiling to Wall Rafters

Unified accent lighting blends wall and ceiling, emphasizing architecture, adding depth, and enhancing the space with elegant illumination.



Facade

Front facades transform into a remarkable sight, enhancing its curb appeal and making it an inviting










Model Number: WW-121848TD

*All the dimensions in mm

Slim Trimless

Dimensions :




Length: 1000 mm Width: 8 mm Height: 9 mm

Model Number: FR-050908T


*All the dimensions in mm

Wide Trimless

Dimensions : Length: 1000 mm Width: 23.5 mm Height: 15 mm



ard



Model Number: FR-201623

14







Thin Trimless

Dimensions: Length: 1000 mm Width: 17 mm Height: 15 mm

Model Number: FR-131617



Ceiling Trimless




Dimensions : Length: 1000 mm Width: 35 mm Height: 35 mm

Model Number: CR-253535

arde







Perfect range of led strips

ceiling recessed
o accent light strips o cct tunable 。 RGB with color temperature 。 furniture profile strips


The Ardeo design philosophy has been the bedrock towards the creation of our strip lights portfolio







Top Performing Highest Efficacy Lm/W



High CRI Value CRI Values above 90



Factory Calibrated Comes with LM8O reports for LEDs




Industry Grade Elements

99.9% Heraeus Gold, Dow Corning Sllicon, Pur copper etc.



Efficient SDCM 1 color bin 1-step/2step SDCM



Density of Leds



arde




Wall Grazing

Accentuates unique texture of exterier walls and creates a captivating visual display.








Niches & Showpieces with Stickable LED Profiles

Effortlessly enhancing artistic displays, elevating ambiance. Showcase elegance with tailored illumination, transforming spaces into sophisticated





Aurora




14.4 W 119 lm 24V DC LM/WATT±10% WATTAGE VOLTAGE 3000K/4000K **IP 20** <90 **IP RATING** CRI CCT <3 160 Led/M 10 mm SDCM DENSITY OF LEDS WIDTH

Model Number: 1024WW15119


Aurora HD

14.4W	24V DC	129 lm
WATTAGE	VOLTAGE	LM/WATT±10%
IP 20	<90	3000K/4000K
IP RATING	CRI	ССТ
<3	240 Led/M	10 mm
SDCM	DENSITY OF LEDS	WIDTH
SDCM	DENSITY OF LEDS	WIDTH



Model Number: 0524CT0885

Petra



25 W	24V DC	106 lm
Wattage	VOLTAGE	LM/WATT±10%
IP 20	<90	3000K/4000K
IP RATING	CRI	CCT
<3	168 Led/M	10 mm
SDCM	DENSITY OF LEDS	WIDTH


ard

Model Number: 1024WW25100





Irena




Model Number: 0524WW0885

7.5 W	24V DC	86 lm
Wattage	VOLTAGE	LM/WATT±10%
IP 20	<90	3000K/4000K
IP RATING	CRI	CCT
<3	120 Led/M	4 mm
SDCM	DENSITY OF LEDS	WIDTH


Lerna

14 W	24V DC	111 lm
WATTAGE	VOLTAGE	LM/WATT±10%
IP 54	<90	3000K/4000K
IP RATING	CRI	CCT
<3	304 Led/M	10 mm
<0	304 Lea/ IVI	10 mm
SDCM	DENSITY OF LEDS	WIDTH



Model Number: 1024WW14115

Capella



20 W	24V DC	80 lm
Wattage	VOLTAGE	LM/WATT±10%
IP 20	<90	2700K-6500K
IP RATING	CRI	CCT TUNABLE
<3	196 Led/M	10 mm
SDCM	DENSITY OF LEDS	WIDTH


ard

Model Number: 1024WW2080





Electra




21.6 W	24V DC	50 lm
Wattage	VOLTAGE	LM/WATT±10%
IP 20	15 mm	180 Led/M
IP RATING	WIDTH	DENSITY OF LEDS
RGBA 2700K- CCT	6500K	

Model Number: 1524RT2249



6 W	12V DC	29 lm
WATTAGE	VOLTAGE	LM/WATT±10%
IP 20	30 Led/M	RGB Addressable
IP RATING	DENSITY OF LEDS	ССТ
10 mm		
WIDTH		



Model Number: 1012RA0628

Lyra



18 W	24V DC	50 lm
Wattage	VOLTAGE	LM/WATT±10%
IP 67	<80	3000K
IP RATING	CRI	CCT
144 Led/M DENSITY OF LEDS	23 mm WIDTH	

ard

Model Number: 2324RW1823 - N/30





Lyra Grazer




18 W 24V DC 73 lm WATTAGE VOLTAGE LM/WATT±10% IP 67 3000K <90 **IP RATING** CRI CCT 23 mm 36 Led/M <3 SDCM DENSITY OF LEDS WIDTH

Model Number: 2324RW1823 - N/G


Lyra RGB

18 W	24V DC	24 lm
WATTAGE	VOLTAGE	LM/WATT±10%
IP 67	<80	RGB
IP RATING	CRI	ССТ
72 Led/M	23 mm	
DENSITY OF LEDS	WIDTH	



Model Number: 2324RW1823 - N/ RGB

Carina



10 W	24V DC	100 lm
Wattage	VOLTAGE	LM/WATT±10%
IP 68	<80	3000K
IP RATING	CRI	CCT
<3	120 Led/M	10 mm
SDCM	DENSITY OF LEDS	WIDTH


ard

Model Number: 1024WW1099- WP





Carina RGB



10 W	24V DC	50 lm
Wattage	VOLTAGE	LM/WATT±10%
IP 68	60 Led/M	RGB
IP RATING	DENSITY OF LEDS	CCT
10 mm WIDTH		

Model Number: 1024WW1099-WP-RGB



arde



CONTACT

marketing@keus.in

call at +91 93929 05179

Keus Automation Pvt Ltd

3rd Floor, Central Square Building, Road no 14 Banjara Hills, Hyderabad - 500034 Telangana, India.

